![RGBlink®]

bond 7UHD

Intelligent Gadget
for Cloud Monitoring and Collaboration

TAO Cloud Access

Content

Login to TAO Cloud

1. Access the TAO Cloud Homepage

○ Open your browser and navigate to https://www.tao1live.com.

○ Press Enter on keyboard to access the TAO Cloud homepage.

2. Register/Login to TAO Cloud

○ Register for a TAO Cloud account using your phone number or email.

○ After registration, click login to confirm.

○ Then you will be directed to the TAO Cloud management interface as shown below.

Bind bond 7UHD to TAO Cloud

With TAO Cloud integrated directly into RGBlink device, such as bond 7UHD, you can do more content production, such as live streaming, cloud footage recording and uploading, etc.

1. Obtain Verification Code

You can bind the bond 7UHD to TAO Cloud using the verification code obtained from the bond 7UHD device.

○ Press the power button on the bond 7UHD to enter the TAO Cloud binding interface.

○ For bond 7UHD not yet bound to TAO Cloud, use the verification code below for operation.

2. Bind Device

Follow steps listed below to bind the bond 7UHD to the TAO Cloud:

○ Find and click "Cloud on camera", then select "Device" from the sidebar.

○ On the "Device" page, click "Binding Devices".

○ Enter a device name (customizable) and the verification code obtained from your bond 7UHD, then click "Bind" to complete the process.

3. Check Binding Status

○   The interface on the device will display a status if it has been successfully bound.

○   Devices bound already will appear on the "All Application" page.

○   Click to check information about your unit, such as the serial number, HDMI input

resolution, upstream rate, downstream rate, streaming address, etc.

4. Unbind Device

To remove a bound device, press the power button on the bond 7UHD twice to reset it, or directly

click "Unbind" on the Basic Information interface.

Go Live

1. Create a Project

○   Click the "Project" option in the sidebar.

○   Click "Creating The Project" and then enter a name and click "Create" to proceed.

○   The project created will be displayed on this page.

2. Go Live

○   Access the bond 7UHD web interface, then the Overlay interface to select video source you wish to stream.

○   Click [icon] to access the Device Settings, as shown below. Trigger "Real-time live streaming" on Device Settings or enable "Live Streaming" switch directly to start streaming.

3. Monitor

○ Click "Project Dynamics" to enter Device List.

○ Click "Monitoring/Replay" to access the interface for real-time monitoring of the selected

input source.

○ A playback will be automatically generated on the left side once the live ends. If a USB drive

is inserted, the playback will also be stored on the USB drive.